



Instant Manual Download

# Farmall M, MV Operators Owners Manual IH International Tractor

[Download Here](#)

1939-1952 Farmall M & MV Tractor Owners/Operators Manual the Owners Manual is the same exact manual received when the tractor was new, it covers all aspects of your tractor. Some of the subjects covered are Maintenance Procedures, Lubrication, Special Attachments, Specifications & Operating your Tractor.

- \* INSTANT DOWNLOAD NO WAITING
- \* PDF FORMAT

---

Farmall M Tractor Specs

Model introduced 1939  
Model discontinued 1952  
Model status Discontinued  
No. produced 282,911 (includes Farmall M-MD-MV-MDV)  
Preceded by McCormick-Deering Farmall F-30  
Superseded by McCormick Farmall Super M

Engine Specification

Engine make International  
Engine model C-248  
Fuel type gasoline  
Power hp 36 belt, 33 drawbar  
Governed rpm 1450  
Displacement cu in /(litre) 248 ci  
No. of Cylinders 4  
Bore in (mm) 3.875 in  
Stroke in (mm) 5.25 in  
Cooling system water  
Naturally aspirated, Turbo or Supercharged NA

Transmission Details

Transmission type sliding gear  
Gearbox make International  
Forward 5  
Reverse 1  
Drive 2-WD

General Data

Linkage Category drawbar

#### Tyre Sizes (std/options)

Front 6.00-16 4-ply

Rear 11-38 6-ply

#### Tractor Dimensions

Length (inches/metres) 132 in

Width (inches/meters) 85 in

Height (inches/meters) 76 in

Weight (nominal) lb/kg 4415 lb

Turning circle (nominal) inches/meters 17 ft

Wheelbase 89 in

#### Other info

Factories Tractor Works, Chicago, Illinois

Plow rating 3-14"

Nebraska Tests No. 328

Approximate Cost new in (year) \$1112 (1941), \$2346 (1952)

---

#### Farmall MV Tractor Specs

Model introduced 1942

Model discontinued 1952

Model status Discontinued

Preceded by McCormick-Deering Farmall F-30 Cane Tractor

Superseded by McCormick Farmall Super MV

#### Engine Specification

Engine make International

Engine model C-248

Fuel type gasoline

Power hp 36 belt, 33 drawbar

Governed rpm 1450

Displacement cu in /(litre) 248 ci

No. of Cylinders 4

Bore in (mm) 3.875 in

Stroke in (mm) 5.25 in

Cooling system water

Naturally aspirated, Turbo or Supercharged NA

#### Transmission Details

Transmission type sliding gear

Gearbox make International

Forward 5

Reverse 1

Drive 2-WD

#### General Data

Linkage Category drawbar

#### Tyre Sizes (std/options)

Front 7.50-20 4-ply

Rear 13.6-38 6-ply

#### Tractor Dimensions

Length (inches/metres) 147 in

Width (inches/meters) 86 in

Height (inches/meters) 90 in

Weight (nominal) lb/kg 5505 lb

Turning circle (nominal) inches/meters 25 ft

Wheelbase 92 in

Other info

Factories Tractor Works, Chicago, Illinois

Plow rating 3-14"

Nebraska Tests No. 328

[Download Here](#)